

# #166

# HYPER STRIP

## HEAVY DUTY SUPER STRIPPER

### DESCRIPTION

One of the most powerful and versatile strippers available. A non-ammoniated concentrated reliquifier, fast action, littler or no agitation required.

### WHAT DOES IT DO?

Expedites the removal of the following floor care programs or conditions: heavy burnished floors, high speed programs, conventional scrub & recoats, heavy build up, multiple coats, resistant sealer, baseboard build up. Penetrates deeply into multiple layers of floor finish and sealers for one pass removal.

### WHY IS IT USED?

Extremely effective for any condition. Saves time and labor. Bites into floor finish immediately, reducing dwell time. One rinse sufficient, leaves no residue. Excellent in areas where machine agitation is not possible, such as church pews and small areas.

### HOW IS IT USED?

For most stripping jobs, mix 1 gallon of HYPER STRIP with 5 gallons of warm water. Test in a small area first and increase or decrease the dilution as necessary. Apply a liberal amount of solution to floor area. Machine scrubbing may begin within 2-3 minutes of application. To avoid waste and drying out of product do not apply solution too far in advance of the scrubbing procedure. If a floor machine is not available, mix 1 gallon HYPER STRIP with 3 gallons of warm water, apply liberally and agitate with mop. When HYPER STRIP has reliquified old finish, pick up with wet/dry vac. Ensure good ventilation for the area being stripped.

Pre test before using on Asphalt Tile, Rubber Tile & Linoleum. If bleaching or color bleeding occurs, DO NOT USE. Contact an ALCO Representative for suggested procedures.

### PACKAGING

HYPER STRIP is available in 1 gallon, 5 gallon and 55 gallon containers.

# MATERIAL SAFETY DATA SHEET

## Section I Product Identification

Product Name: 166 HYPER STRIP Proper Shipping Name: Corrosive Liquid, Basic UN3266  
Generic Name: STRIPPER Chemical Family: N/A  
Supplier's Name: ALCO Chemical, Inc. Formula: N/A  
Address: 45 North Summit Street  
Akron, Ohio 44308  
Phone: (330) 253-3535 EMERGENCY/CHEM\*TEL: 1-800-255-3924

## Section II Ingredients Listed as Hazardous According to OSHA 29CFR1910

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>WT%</u>	<u>TWA</u>	<u>STEL</u>	<u>CEILING</u>	<u>CARCINOGENIC</u>
*2-Butoxyethanol	111-76-2	35-45	120	NE	NE	No
Monoethanolamine	141-43-5	10-15	8	15	NE	No
Potassium Hydroxide	1310-58-3	1-2	NE	NE	2	No

(\* Indicates SARA Title 313)

## Section III Physical Data

Boiling Range: 210 (initial) % Solids by Weight: N/A Evaporative Rate (water = 1): <1 Specific Gravity: 1.00  
Vapor Pressure: 20 mm Hg @68F % Solubility in Water: 100% Vapor Density (air = 1): >1 Volatile: 99+  
Physical Description: Yellow Liquid pH: 13

## Section IV Fire & Explosion Hazards

Flash Point: N/A Method used: N/A Health: 3  
Flammability Limits (LEL/UEL): N/A N/A Extinguishing Media: N/A Flammability: 0  
Special Fire Fighting Procedures: N/A Reactivity: 0  
Unusual Fire & Explosion Hazards: N/A M.P.P.: B

## Section V Health Hazard Data

Threshold Limit Value: N/A Primary Routes of Entry: Eyes, Skin, Ingestion, Inhalation Permissible Exposure Limit: N/A  
Emergency and First Aid Procedures: Other Limit: N/A

Flush eyes or skin with soap and water, and if irritation persists, see doctor. If ingested DO NOT induce vomiting. Dilute with two glasses of water, and see doctor. If inhalation occurs, seek fresh air immediately.

## Section VI Reactivity Data

Stability: STABLE Incompatibility (material to avoid): Strong acids and oxidizers.  
Hazardous Polymerization: Will Not Occur Hazardous Decomposition Products: None known

## Section VII Spill or Leak Procedures

Steps to be taken in case material is released or spilled:  
Waste disposal method: Any method in accordance with applicable laws Volatile organic compounds (VOC): N/A  
RCRA hazardous waste number (40 CFR 261.33): N/A CERCLA (superfund) reportable quantity (in lbs): N/A

## Section VIII Special Protection Data

Respiratory protection (specific type): No special requirements. Protective gloves (specific type): Waterproof gloves recommended.  
Eye protection: Safety glasses recommended. Other protective equipment: No special requirements.  
Ventilation: Provide local exhaust to keep TLV of section II ingredients, if applicable, below acceptable levels.

## Section IX Special Precautions

KEEP AWAY FROM CHILDREN. KEEP CONTAINER CLOSED DURING STORAGE. FOR INSTITUTIONAL USE ONLY.  
The above information pertains to this product as currently formulated and is based on the information available at this time. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.

7/30/2010