



Solutions for a Cleaner Environment



#079-QT

Alco AFBC

ACID-FREE BATHROOM CLEANER

DESCRIPTION:

ALCO AFBC will disinfect, clean and deodorize hard, non-porous surfaces in rest rooms and toilet areas, behind and under sinks/counters, garbage areas, and other places where bacterial growth can cause malodors. An all-in-one product! EPA REG. NO. 6836-152-34714

WHY IS IT USED:

This product is a one-step Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, viruses, fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. Fresh, clean fragrance with an economical spray & wipe formula!

HOW IS IT USED?

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Read original product label prior to use.**



FOR USE ON SEALED FINISHED FLOORS: Apply with a damp mop or autoscrubber. Allow surface to remain visibly wet for 10 minutes. Wipe or allow to air dry.

DISINFECTION / VIRUCIDAL* / FUNGICIDAL / MOLD & MILDEW CONTROL DIRECTIONS: Apply this product undiluted to hard, non-porous surfaces, thoroughly wetting the surfaces with a cloth, mop, sponge, sprayer or by immersion. Surfaces must remain visibly wet for 10 minutes.

For Influenza Virus Type A and Human Coronavirus and SARS-Cov-2, treated surfaces must remain visibly wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For visibly soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface. Avoid breathing spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

For fungicidal activity: This product is an effective one-step fungicide against Trichophyton interdigitale when used on hard, non-porous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Allow surface to remain visibly wet for 10 minutes.

For mold and mildew: Repeat treatment every 7 days or more often if new growth appears.

TO CLEAN AND DEODORIZE: Spray directly on hard, non-porous, non-food surface to be cleaned. Wipe or allow to air dry. Rinse all surfaces that come in contact with food such as countertops, exteriors of appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS: Remove visible filth prior to disinfection. Empty toilet or urinal and apply this product to exposed surfaces and under the rim with a cloth, mop, sponge, or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes, and flush.

See Label for Special Instructions For Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled with Blood / Body Fluids.

EFFICACY INCLUDES:

- Pseudomonas aeruginosa
- Salmonella enterica
- Staphylococcus aureus
- Acinetobacter baumannii
- Burkholderia cepacian
- Campylobacter jejuni
- Corynebacterium ammoniagenes
- Enterobacter aerogenes
- Enterobacter cloacae NDM-1 positive
- Enterococcus faecalis
- Enterococcus faecalis - Vancomycin Resistant (VRE)
- Escherichia coli, Escherichia coli - New Delhi Metallo-Beta Lactamase (NDM-1)
- ESBL Escherichia coli
- Klebsiella pneumoniae
- Klebsiella pneumoniae- NDM-1 Positive
- Legionella pneumophila
- Listeria monocytogenes
- Salmonella schottmuelleri
- Salmonella typhi
- Serratia marcescens
- Shigella dysenteriae
- Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA) (NRS384)(USA 300)
- Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA)(NRS 123) (USA 400)
- Staphylococcus aureus - Vancomycin Intermediate Resistant – (VISA), Streptococcus pyogenes (Strep)
- Vibrio cholerae
- Hepatitis B Virus (HBV)
- Hepatitis C Virus (HCV)
- Herpes Simplex Virus Type 1
- Herpes Simplex Virus Type 2
- HIV-1 (AIDS Virus)
- Human Coronavirus
- Influenza Virus Type A / H1N1
- Influenza Virus Type A / H3N2
- 2013 Influenza A Virus H7N9
- Norwalk Virus (Norovirus)
- Respiratory Syncytial Virus (RSV)
- Rotavirus
- SARS Associated Coronavirus (SARS) (cause of Severe Acute Respiratory Syndrome)
- SARS-Related Coronavirus 2 (cause of COVID-19)
- Vaccinia Virus
- Trichophyton interdigitale (the Athlete's Foot Fungus) (A Cause of Ringworm)
- Aspergillus niger

PACKAGING:

This product is available in 1 quart and 12- 1 quart/case.

October 3, 2023