


Elevated Expectation of Clean

- COVID-19 pandemic has changed the cleaning landscape
 - Spike in demand for disinfecting solutions
 - Anticipate ongoing, elevated focus on level of clean and preparedness
- Disinfecting is not new, frequency and new users will increase







What if there was a better way to disinfect?

- Seeking fast, efficient means to apply disinfectant to various surfaces
- · Ability to disinfect both large and small areas
 - Warehouses, big box stores, office buildings, schools, hospitals, hotels, restaurants, public transit, etc.
- Portability is critical, use cases drive need for different solutions
 - Compact, lower capacity
 - Full-size, higher capacity
- · Growing concerns over misting and fogging
 - Lack of chemical actually contacting surfaces
 - Aerosolization of chemical dangerous (operator and patrons)
- This is an alternative option to an electrostatic sprayer for applying disinfectant










- With ALCO you get: A special disinfecting tip that is not included with all Titan sprayers in the marketplace - See page 10 for details!
- Titan is the leading manufacturer of spray equipment throughout the Americas, globally parent company, Wagner
- Titan provides application equipment to almost all facets of the economy
- Call your ALCO rep or customer service to ask questions or order your Titan Sprayer








Airless Spraying Technology

- Provide fast, efficient method of applying disinfectant
- Larger particles coat surfaces to help achieve desired dwell times
- Product offerings to disinfect both large and small areas
- Portable to meet varying use cases
- Pump moves the chemical, Tip controls spray attributes











Offering 3 Disinfecting Solutions



FlexSpray Handheld

- Small Area (≤10,000 sq ft)
- .20 gal/min
- On-Board Chemical
- 1 Qt Capacity
- · 20 ft power cord



Impact 410 Skid

- Large Area (30,000 sq ft /hr)
- .12 gal/min (with 413 tip)
- Off-Board Chemical
- Pumps from 5 gal bucket
- 50 ft hose stnd, up to 300 ft



Impact 410 High Rise


- Large Area (30,000 sq ft /hr)
- .12 gal/min (with 413 tip)
- Off-Board Chemical
- Pumps from 5 gal bucket
- 50 ft hose stnd, up to 300 ft
- · Cart with wheels





FlexSpray Handheld

- Small Area (≤10,000 sq ft)
- .20 gal/min
- On-Board Chemical (1 Qt Capacity)
 - About 1,000 sq ft of spraying
- Package Includes:
 - FlexSpray Handheld
 - 1 Qt Container
 - 20 ft Power Cord
 - Carrying Case







Impact 410 Skid

- Large Area (30,000 sq ft /hr)
- .12 gal/min (with 413 tip)
- Off-Board Chemical
- Pumps from 5 gal bucket
- 50 ft hose standard, couple up to 300 ft
- Package Includes:
 - Impact 410 Skid
 - Spray Gun
 - Qty 2 of 413 Green HEA Tip (disinfecting)
 - o Includes 410 Red Tip, replace with 413 green
 - Tip Guard
 - o Piston Lube (8oz)
 - **–** 50 ft Hose







Impact 410 High Rider

- Large Area (30,000 sq ft /hr)
- .12 gal/min (with 413 tip)
- Off-Board Chemical
- Pumps from 5 gal bucket
- 50 ft hose standard, couple up to 300 ft
- Package Includes:
 - Impact 410 High Rider (cart with wheels)
 - Spray Gun
 - o Qty 2 of 413 Green HEA Tip
 - o Includes 410 Red Tip, replace with 413 green
 - Tip Guard
 - o Piston Lube (8oz)
 - **–** 50 ft Hose







HEA Tip Technology

- High Efficiency Airless (HEA)
- Allows for low pressure atomization that minimizes overspray and billowing clouds
- Creates larger droplet size for better transfer efficiency and 'wetting' of substrates
- 413 Tip (recommended)
 - Provides 8 inch spray pattern (1 ft away)
 - Typical disinfecting spray distance is 2-3 ft
 - Will provide 16 or 24 inch spray pattern
 - Flow rate of .21 gal/min







Use & Care Considerations

- Wear PPE as recommended by local authorities during sprayer use
- Purge machine with water after each use ensuring the pump, hose and gun are cleared of disinfectant
 - Follow same process should sprayer sit idle for longer than 30 minutes
- Disinfect the machine and all accessory components after each use
- Lubricate piston weekly





11



Compared to Other Disinfecting Technology

- Foggers
 - Cause chemical to be suspended in air for long periods of time
 - Difficult to direct chemical to a surface







12



Purchasing Your Titan with ALCO

- Warranty Information
 - 4 Yr. Manufacturer Warranty Against Defects
 - Limited Lifetime Warranty on Motor (Impact 410)
 - 2 Yr. on Turbine (FlexSpray)
- Interested in a demo?
 - We'd love to show you!
 - Contact your ALCO rep to request a demo

Place Your Order Or Ask Questions

Contact your ALCO representative or Call our Customer Service Department at 1.800.589.ALCO





13



SUPPORTING THE PEOPLE THAT KEEP THE WORLD CLEAN AND SAFE



