

#149-16

Virosol

HOSPITAL DISINFECTANT & DEODORANT SPRAY

EPA Reg. No. 67603-4-34714

DESCRIPTION:

VIROSOL is an Antibacterial, Tuberculocidal, Germicidal, Pseudomonacidal, Fungicidal and odor eliminator all in one aerosol can.

WHAT DOES IT DO?

VIROSOL is for use only on hard, non-porous environmental surfaces. This product prevents mold and mildew on environmental surfaces in your home and in public places. It disinfects and deodorizes surfaces through effective bacterial and fungicidal activity.

Kills Staphylococcus aureus (Staph) , Streptococcus hemolyticus (Strep), Pseudomonas aeruginosa, Methicillin-Resistant Staphylococcus aureus (MRSA), Mycobacterium bovis (BCG), Salmonella enterica, Trichophyton interdigitale [formerly known as Trichophyton mentagrophytes] (athlete's foot fungus), Vancomycin-Resistant Enterococcus faecalis (VRE), Influenza A Virus, Influenza B Virus, Swine Influenza A Virus Strain (H1N1) and Influenza A Virus Strain Hong Kong on pre-cleaned, hard, non-porous environmental surfaces.

WHY IS IT USED?


VIROSOL is intended to be used on surfaces/environments similar to walls, floors, bedframes, bedpans, urinals, fixtures, containers, toilet seats, diaper pails, telephones, trash cans, and sickrooms. Due to the possibility of electric shock when used on telephones, avoid excess spraying of telephone.

HOW IS IT USED?

Shake Well Before Using

To Clean: Prior to disinfection, thoroughly pre-clean all surfaces to be treated by removing all gross filth and heavy soil.

To Disinfect: Hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened. Allow surfaces to remain wet for 10 minutes before wiping. After disinfection, a potable water rinse is required. Do not use to disinfect appliances, refrigerator interiors and microwave oven interiors. Do not use on dishes, glasses or utensils.



To Sanitize: Spray surface until entire area is thoroughly wet. Allow to remain wet for 5 minutes before wiping.

For Control of Mold and Mildew on Hard, Non-Porous Environmental Surfaces: Spray surfaces until thoroughly moistened. Allow to air dry. Repeat application in 7 days.

For Control of Trichophyton interdigitale (Athlete's Foot Fungus) in areas such as bathrooms, locker rooms, floors, benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet: Spray surface until thoroughly moistened. Allow surfaces to remain wet for 10 minutes. Allow to air dry.

Kills HIV on pre-cleaned environmental surfaces and objects previously soiled with blood or body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids, and in which the surfaces and objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

Special instructions for cleaning and decontamination against HIV on surfaces and objects soiled with blood or body fluids:

- PPE: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, and eye coverings.
- Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.
- Disposal of Infectious Materials: Blood and other body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.
- Contact Time: Leave surfaces wet for 10 minutes. This contact time will not control other common types of viruses and bacteria.

PACKAGING:

VIROSOL is available in 20 oz. aerosol cans. 12 cans/case.

April 12, 2023