

SAFETY DATA SHEET

Date Prepared : 06/30/2015

SDS No : Pro Link, Inc_Waterless Cleaner

Waterless Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Waterless Cleaner

GENERAL USE: Use to clean wood floors prior to coating.

PRODUCT DESCRIPTION: Waterless Wood Floor Cleaner

CHEMICAL FAMILY: Petroleum Solvent Blend

DISTRIBUTOR

Pro Link, Inc.

500 Chapman Street

Canton, MA 02021

Customer Service: 781-828-9550

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEM-TEL (Medical and Transportation): 800-255-3924

POISON CONTROL CENTER (Medical): 800-222-1222

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Aspiration Hazard, Category 1

Skin Irritation, Category 2

Germ Cell Mutagenicity, Category 1B

Target Organ Toxicity (Single exposure), Category 3

Environmental:

Chronic Hazards to the Aquatic Environment, Category 2

Physical:

Flammable Liquids, Category 3

GHS LABEL



Health hazard



Exclamation mark



Environment



Flame

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H340: May cause genetic defects.

H336: May cause drowsiness or dizziness.

H305: May be harmful if swallowed and enters airways.

H411: Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENT(S)

Prevention:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P270: Do not eat, drink or smoke when using this product.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P242: Use non-sparking tools.
P233: Keep container tightly closed.
P102: Keep out of reach of children.

Response:

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331: Do NOT induce vomiting.
P302+P352: IF ON SKIN: Wash with plenty of soap and water
P361+P364: Take off immediately all contaminated clothing and wash it before reuse.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call a POISON CENTER or doctor/physician if you feel unwell.
P370+P378: In case of fire: Use dry chemical, foam or water mist to extinguish.
P391: Collect spillage.

Storage:

P405: Store locked up.
P403+P235: Store in a well-ventilated place. Keep cool.

Disposal:

P501: Dispose of contents/container according to all local, state and Federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Clear Liquid

IMMEDIATE CONCERNS: Harmful if swallowed.

POTENTIAL HEALTH EFFECTS

EYES: Contact may cause mild eye irritation.

SKIN: May be mildly irritating with prolonged or repeated contact.

SKIN ABSORPTION: Harmful if absorbed through skin.

INGESTION: Harmful if swallowed.

INHALATION: High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches)

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: Suspected of damaging fertility or the unborn child.

TERATOGENIC EFFECTS: Not Established

CARCINOGENICITY: Contains an ingredient listed under IARC Group 3 status.

MUTAGENICITY: This product presents positive results of mutagenicity in *in vitro* studies.

ROUTES OF ENTRY: Breathing of mist or vapors. Ingestion.

TARGET ORGAN STATEMENT: No known significant effects or critical hazards.

CANCER STATEMENT: None

SENSITIZATION: No known significant effects or critical hazards.

PHYSICAL HAZARDS: Combustible material.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Aromatic Hydrocarbons Solvent Naphtha (Petroleum), Light Aromatic	45 - 55	64742-95-6
Aliphatic Petroleum Distillates	45 - 55	64742-48-9

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Burning sensation with tearing, redness.

SKIN: Prolonged contact will cause irritation marked by redness, burning sensation.

SKIN ABSORPTION: Not Established

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Headache, dizziness, nausea.

CHRONIC EFFECTS: See Section 11.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: II (100-140F)

GENERAL HAZARD: Combustible Liquid

EXTINGUISHING MEDIA: Use Dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide from combustion

EXPLOSION HAZARDS: Fire exposed containers may burst due to increased pressure from heat.

FIRE FIGHTING PROCEDURES: Keep fire exposed containers cool with water stream or mist.

FIRE FIGHTING EQUIPMENT: Fire-fighters should wear appropriate protective equipment ans self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.

SENSITIVE TO STATIC DISCHARGE: Yes

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition products may include: Carbon dioxide, Carbon monoxide, nitrogen oxides.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Shut off any ignition sources. Avoid runoff into storm sewers and ditches which lead to waterways.

LARGE SPILL: Shut off all ignition sources. Ventilate area. Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

AIR SPILL: No data available. Contact Env. Dept.

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

RELEASE NOTES: Product is harmful to aquatic life.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Close container after use.

HANDLING: Keep away from heat and flame.

STORAGE: Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store product away from food and water sources. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

STORAGE TEMPERATURE: Store at ambient temperatures.

STORAGE PRESSURE: Store at ambient atmospheric pressure.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)					
		EXPOSURE LIMITS			
		OSHA PEL		Supplier OEL	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³
Aromatic Hydrocarbons Solvent Naphtha (Petroleum), Light Aromatic	TWA	500	2000		350
Aliphatic Petroleum Distillates	TWA	500	2000		

ENGINEERING CONTROLS: Provide mechanical ventilation when used in confined areas, or areas with poor ventilation.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses with side shields.

SKIN: Rubber or other chemical resistant gloves.

RESPIRATORY: A respirator is not needed under normal and intended conditions of product use.

PROTECTIVE CLOTHING: No special requirements.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Solvent, characteristic

ODOR THRESHOLD: Not Established

COLOR: Water Clear

pH: NA = Not Applicable

PERCENT VOLATILE: 100 at 20°C (68°F)

FLASH POINT AND METHOD: 42°C (108°F) Tag Closed Cup (TCC)

FLAMMABLE LIMITS: 0.8 to 6.0

AUTOIGNITION TEMPERATURE: 230°C (446°F) to 316°C (601°F)

VAPOR PRESSURE: Not Established

VAPOR DENSITY: ~ 4.8 Air = 1

BOILING POINT: Not Established

FREEZING POINT: Not Established

THERMAL DECOMPOSITION: Not Established

SOLUBILITY IN WATER: Insoluble

EVAPORATION RATE: (Water = 1) <1.0

DENSITY: ~ 7.26 at 20°C (68°F)

SPECIFIC GRAVITY: ~ 0.87 grams/ml. at 20°C (68°F)

VISCOSITY: Water thin.

(VOC): 100.000 % by weight

10. STABILITY AND REACTIVITY

REACTIVITY: Stable

HAZARDOUS POLYMERIZATION: None known.

STABILITY: Stable under normal storage and use conditions.

CONDITIONS TO AVOID: Heat, flames and sparks.

HAZARDOUS DECOMPOSITION PRODUCTS: Not Established

INCOMPATIBLE MATERIALS: Strong oxidizers

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Aromatic Hydrocarbons Solvent Naphtha (Petroleum), Light Aromatic	> 14000 mg/kg (rat)	> 2000 mg/kg (rabbit)	6000 to 10000 mg/l (rat)
Aliphatic Petroleum Distillates	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)	No data available

EYES: Not Established

DERMAL LD₅₀: > 2000 mg/kg male and female rabbits.

SKIN ABSORPTION: Not Established

ORAL LD₅₀: > 5000 mg/kg Rat

INHALATION LC₅₀: Not Established

EYE EFFECTS: slight eye irritant

SKIN EFFECTS: May irritate skin with prolonged or repeated contact.

CHRONIC: Not Established

CARCINOGENICITY

IARC:

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of petroleum solvents in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

IRRITATION: Mild irritant

SENSITIZATION: No known significant effects or critical hazards.

NEUROTOXICITY: Central nervous system effects marked by dizziness, headache, nausea, unconsciousness.

GENETIC EFFECTS: No known significant effects or critical hazards.

REPRODUCTIVE EFFECTS: This product is suspected of being a human reproductive toxicant.

TARGET ORGANS: May cause respiratory irritation and depression of the central nervous system with drowsiness, dizziness, weakness, loss of consciousness, nausea and headache.

TERATOGENIC EFFECTS: No known significant effects or critical hazards.

MUTAGENICITY: An ingredient in this product presents positive results of mutagenicity in *in vitro* studies.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Toxic to aquatic life.

BIOACCUMULATION/ACCUMULATION: Has the potential to Bioaccumulate.

AQUATIC TOXICITY (ACUTE): Not Established

CHEMICAL FATE INFORMATION: This product is biodegradable.

GENERAL COMMENTS: Oxidizes rapidly by photochemical reactions in air.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of ignitibility as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

PRODUCT DISPOSAL: Any method in accordance with local, state, and federal laws. Best method is to recycle or reuse for

intended purpose.

EMPTY CONTAINER: Offer container for recycling, or dispose of in trash.

RCRA/EPA WASTE INFORMATION: Not Established

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Cleaning Compound, not regulated (for US domestic shipment only)

OTHER SHIPPING INFORMATION: Under 49 CFR 173.150(f), this product has been reclassified as a Combustible Liquid and, as such, meets the requirements of Exceptions for Class 3 (flammable liquids) for domestic transportation by ground ONLY.

AIR (ICAO/IATA)

SHIPPING NAME: Contact manufacturer for more information.

VESSEL (IMO/IMDG)

SHIPPING NAME: Contact manufacturer for more information.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health Hazard - Acute; Health Hazard -Chronic; Fire Hazard

FIRE: Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** Yes

313 REPORTABLE INGREDIENTS: No listed substance

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: No listed substance

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: No products were found.

CERCLA RQ: Not Established

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.

STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
Aromatic Hydrocarbons Solvent Naphtha (Petroleum), Light Aromatic	Pennsylvania Right to Know Substance
Aliphatic Petroleum Distillates	Pennsylvania Right to Know Substance

CALIFORNIA PROPOSITION 65: No listed substance

CARCINOGEN: Contains an ingredient listed under IARC Group 3.

16. OTHER INFORMATION


PREPARED BY: Regulatory Affairs Department

Date Prepared: 06/30/2015

HMS RATING

HEALTH	*	1
FLAMMABILITY		2
PHYSICAL HAZARD		0
PERSONAL PROTECTION		B

NFPA CODES



MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company

accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.